


ES-3322 Roof Truss Loads



	UDL (PLF)	Center Point Load	3rd Point Load	4th Point Load	5th Point Load
Back T1	1000 (30)	490	370	240	200
Center T2	1200 (37)	600	450	300	250
Center T3	1200 (37)	600	450	300	250
Front T4	1000 (30)	490	370	240	200




ES-3322

T1 Back Truss Load

WITH LED Wall Support Kit

Back T1




		(1 point)	x2 (points)	x3 (points)	x4 (points)
	UDL (PLF)	Center Point Load	3rd Point Load	4th Point Load	5th Point Load
SR back T1 (16'-4")	1000 (62)	1000	500	333	250
SL back T1 (16'-4")	1000 (62)	1000	500	333	250
Full length T1 (32'-8")	2000 (62)				



ES-3322

8'-6" PA Wing Load

WITH Ground Support Pole & Angle Brace




	UDL (PLF)	(1 point) Center Point Load	x2 (points) 3rd Point Load	x3 (points) 4th Point Load	x4 (points) 5th Point Load
8'-6" PA Wing	1200 (145)	1200	660	440	330



ES-3322

3' Cantilever Fly Bay Load

NO Ground Support Pole / NO Angle Brace / NO Banners



1'-6" (center point load only)

	CPL ONLY
3' PA Wing	750